

# SAFETY DATA SHEET

## Cutasept G

Version 1.10      Revision Date: 22.03.2019      SDS Number: R11034      Date of last issue: 28.11.2018  
Date of first issue: 09.04.2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cutasept G

Product code : R11034

#### Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH  
Melanchthonstraße 27  
22525 Hamburg  
Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs  
Kundenservice@SIDA-BODE-CHEMIE.de

Emergency telephone number : Giftnotruf Göttingen  
24h-Phone +49 (0)551 / 1 92 40

#### Recommended use of the chemical and restrictions on use

Recommended use : In-door use  
Biocidal product  
For further information, refer to the product technical data sheet.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 2

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity -  
single exposure : Category 3

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
H320 Causes eye irritation.  
H336 May cause drowsiness or dizziness.

Precautionary statements : P102 Keep out of reach of children.

#### Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# SAFETY DATA SHEET

## Cutasept G

P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 50 - < 70
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	>= 0,025 - < 0,1

---

### 4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possible).

If inhaled : If breathed in, move person into fresh air.

In case of eye contact : Immediately flush eye(s) with plenty of water.

If swallowed : Rinse mouth.  
Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : Use personal protective equipment.  
In the event of fire, wear self-contained breathing apparatus.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Remove all sources of ignition.

Environmental precautions : Should not be released into the environment.

Methods and materials for containment and cleaning up : Clean-up methods - small spillage  
Wipe up with absorbent material (e.g. cloth, fleece).

# SAFETY DATA SHEET

## Cutasept G

Clean-up methods - large spillage  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.
- Advice on safe handling : Avoid contact with eyes.
- Conditions for safe storage : Store at room temperature in the original container. Keep tightly closed.
- Materials to avoid : Keep away from food and drink.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

#### Personal protective equipment

- Protective measures : No special protective equipment required.
- Hygiene measures : Ensure adequate ventilation, especially in confined areas. Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : brown
- Odour : alcohol-like
- pH : not determined
- Melting point/range : not determined
- Boiling point/boiling range : not determined
- Flash point : 21,5 °C  
Method: DIN 51755 Part 1
- Vapour pressure : 8 kPa (50 °C)
- Density : 0,82 g/cm<sup>3</sup> (20 °C)

# SAFETY DATA SHEET

## Cutasept G

Solubility(ies)  
Water solubility : completely miscible

---

### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : The product is chemically stable.  
Possibility of hazardous reactions : None reasonably foreseeable.  
Conditions to avoid : Heat  
Strong sunlight for prolonged periods.  
Incompatible materials : None.  
Hazardous decomposition products : No decomposition if used as directed.

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 Oral(Rat): > 13.000 mg/kg  
Method: Calculation method

##### Components:

###### **Propan-2-ol** (CAS: 67-63-0):

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

###### **Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides** (CAS: 68424-85-1):

Acute oral toxicity : LD50 Oral (Rat): 344 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 3.340 mg/kg

#### Skin corrosion/irritation

##### Components:

###### **Propan-2-ol** (CAS: 67-63-0):

Species: Rabbit

Result: No skin irritation

###### **Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides** (CAS: 68424-85-1):

Result: Corrosive after 3 minutes to 1 hour of exposure

#### Serious eye damage/eye irritation

##### Components:

###### **Propan-2-ol** (CAS: 67-63-0):

Species: Rabbit

Result: Eye irritation

## Cutasept G

### Respiratory or skin sensitisation

**Product:**

Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

**Components:**

**Propan-2-ol** (CAS: 67-63-0):

Test Type: Buehler Test  
Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.

**Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides** (CAS: 68424-85-1):

Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

### Germ cell mutagenicity

**Components:**

**Propan-2-ol** (CAS: 67-63-0):

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Repeated dose toxicity

No data available

### Aspiration toxicity

No data available

### Experience with human exposure

No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

**Cutasept G****12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Fish): > 100 mg/l  
Remarks: The data is estimated based on the component aquatic toxicity classification.

**Components:****Propan-2-ol** (CAS: 67-63-0):

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 ( Scenedesmus capricornutum (fresh water algae)): > 100 mg/l  
Exposure time: 72 h

**Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides** (CAS: 68424-85-1):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,28 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,016 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : ErC50 ( Pseudokirchneriella subcapitata (microalgae)): 0,049 mg/l  
Exposure time: 72 h  
Test Type: Cell multiplication inhibition test  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0,032 mg/l  
Exposure time: 34 d  
Species: Leuciscus idus (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0042 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

**Persistence and degradability****Product:**

Biodegradability : Result: According to the results of tests of biodegradability this product is not readily biodegradable.

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Cutasept G****13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
- Contaminated packaging : Empty remaining contents.  
Store containers and offer for recycling of material when in accordance with the local regulations.

**14. TRANSPORT INFORMATION****ADR**

- UN number : UN 1219  
Proper shipping name : ISOPROPANOL, SOLUTION  
Class : 3  
Packing group : II  
Labels : 3  
Hazard Identification Number : 33  
Tunnel restriction code : (D/E)

**UNRTDG**

- UN number : UN 1219  
Proper shipping name : ISOPROPANOL SOLUTION  
Class : 3  
Packing group : II  
Labels : 3

**IATA-DGR**

- UN/ID No. : UN 1219  
Proper shipping name : Isopropanol solution  
Class : 3  
Packing group : II  
Labels : Class 3 - Flammable Liquid  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

**IMDG-Code**

- UN number : UN 1219  
Proper shipping name : ISOPROPANOL SOLUTION  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# SAFETY DATA SHEET

## Cutasept G

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations


### 16. OTHER INFORMATION

#### Safety datasheet sections which have been updated:

- 5. Firefighting measures
- 6. Accidental release measures
- 15. Regulatory information

#### Further information

##### NFPA:



##### HMIS® IV:

HEALTH	/	1
FLAMMABILITY		4
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccu-



# SAFETY DATA SHEET

## Cutasept G

mulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN